

Polemonium

1. Coeruleum P. foliis pennatis ^{partim} ~~erectis~~ ^{partim} ~~divicibus~~ ^{partim} ~~coadunatis~~, stylis corolla longiore
2. reptans P. foliis ^{partim} ~~erectis~~ ^{partim} ~~divicibus~~ ^{partim} ~~coadunatis~~, pennatis ^{partim} ~~erectis~~ ^{partim} ~~divicibus~~ ^{partim} ~~coadunatis~~, stylis corolla ~~longiore~~.
3. dubium P. foliis inferioribus ~~erectis~~ ^{partim} ~~divicibus~~ ^{partim} ~~coadunatis~~, superioribus lanceolatis
4. procelloides P. ~~erectum~~, caule ~~erecto~~ ^{partim} ~~divicibus~~ ^{partim} ~~coadunatis~~, foliis lanceolatis ciliatis, panicula pauciflora pedunculata ~~nuda~~.
5. campanulata P. ~~erectum~~, glabrum, foliis linearibus lanceolatis integris ~~erectis~~, floribus terminalibus ~~erectis~~ ^{partim} ~~divicibus~~ ^{partim} ~~coadunatis~~.

185 4-5 gaudent flore supero Deoque non hucus generu

1 Coenobium P. foliis pennatis floribus erectis, calycibus tubo corollae longioribus
Linn. S. V. p. Fl. Dan. T. 255

Solenanum compta Bauh. pin 164.
apolemonium calycibus lanatis Hort. Apt. 40

Habitat in Europa Asia septentrionalibus &

Caulis bipedali, erectus, simplex, teres, superne leviter pubescens.

Folia subsimplex 6. 8. pinnis alternis, sessile lanceolato, ultima
duo terminalia trifida, acuta ~~pedunculata~~ intermedia majores, pollicia
vel subtus villosa, pedunculi superne albescens ~~paniculati~~ ~~floris~~
paniculati, pedunculi parvales et pedicelli breves. Stylis corollae
longior. Lacina calycis oblonga obtusa (in figura fl. Dan. externa
distincta apparet) & folia tripartita. Stigma bifidum

Coenobium foliis pennatis externis duabus (coordinatis) stylis corollae longioribus

reptans P. foliis pennatis septenis, floribus terminalibus nutantibus Len. 1. V
Polemonium foliis pennatis, radicibus reptantibus Gron. Voy. 22. Mill. Det.

t. 209.

Habitat in Virginia 7

Tota glabra, habitus caetero quam procerus. foliis quae trigyni, pennis
utraque acutis, oppositi vel ad alterum, distantes, terminalis distan-
ta. folio ~~sa~~ unguicularia. folia floralia supra maxima simplicia
pedunculi ex apice caulis et ramorum bi. triflori, flores non
tam copiose ut in proceritate. petala mucronata. stylis lon-
gitudine vix corollae ante florescentiam nutantibus

reptans P. foliis ^{utraque acutis} pennatis septenis impari subpetiolato, floribus terminalibus
nutantibus stylo corollae brevioribus

4 *Procelloides Polemonium* erectum, caule filiformi, foliis lanceolatis ciliatis, panicula
pauciflora pedunculata nuda Lin. Suppl. p. 139. t. v.
Habitat in Cap. bono spei.

non vidi

3 Dubium Polemonium foliis inferioribus hastatis, superioribus lanceolatis Lin. S.V. p.

205. Gron. Voy. 142.

Habitat in Virginia

Taxa aliena a Polemonii, dubii generis. Stylus semi bifidus hinc.

Bl...

2. campanuloides Polemonium erectum, glabrum, foliis linear-lanceolatis integris erectis,
floribus terminalibus solitariis her. suppl. p. 1139. f. V

Habitat in Cap. bono spei

Simillima C. perfoliata, at stigma simplex, quo unica differentia, ut stigma
Sabina Roelle her.