

Pollichia

7. Pollichia

Cal. 1-phyllus - 5-dentatus. Cor. ~~4~~ ⁵ petala,
fructus ~~involucris~~ aggregatis, fructum alvantes Spirita

campestri Pellucida Hort. kew. 1. p. 5. Smith. Spicil. bot. fasc. 1. p. 14. 1.

Necton campestri Gmel. ed. Syst. p. 21. p. 6

Habitat in Cap. b. 3p 5

Caulis teretes; tomento raro pubescentes; ramosi; ^{declinati} folia verticillata, sa-
~~pe~~ 1. versus unum latus vergentia, linear-lanceolata, acuta, integerrima,
glabra. Stipulae plurimae, membranaceae, lanceolatae, inaequales
persistentes. Flores sessiles; congesti in capitulum axillas trium

vel quatuor ~~vel 4.~~ foliorum occupans H. kew l. c. * ~~1.~~

Herba facie Elehyanth. corymbosa. ~~folia 4. 5. 6. subsessile. Nami superne~~

^{4p} Nami superne conescentes. Folia quatuor, quinque vel sex subsessile *

myricoides ~~Laestemma Sw. prod. pag. 12. 40. fasc. 1. Tab. 1~~
~~Piper aggregatum Berg. in Act. Helv. 7. p. 131. Tab. X~~
~~Habitat in Jamaica~~

~~Rami glabri superne compressi, fusci. Folia petiolata, alterna,
oblonga, acuminate, integerrima, venosa, glabra, tripollicaria.
amenta axillaria femurquicelaria plura.~~

~~Ind. Antiquariae descriptio melior~~