

Polycarpon

x 44

teneriffa Polycarpos la marit. Fourc. D. hist. nat. no
13. pag 4. tab 25

41 abbatia Teneriffa ^{emergens}

Char. est. Patisphyllus. Ped. 5. Cap. 3gona. 1. ut planis
polyperma.

Pentandria monogynia facie alyss.

ogenia Ventenat Herb. Musc.

~~Char. magnitudine munda. b. Musc. c.~~
~~Char. on alyss.~~

Cucida Prinos foliis oblongo-ovatis ^{lub} serratis nitidis membranaceis, pedunculis axilla-
ribus unis ~~floribus~~ ^{floribus} Tetrandri
Habitat in Montserrat de Ryan 5

Rami angulati, glabri, apice compressi ^{fuli}, fusco-purpureascentes.

Folia ~~petiolata~~, ^{obtusiuscula} albina ^{si} Tripolliciana, pollicis ^{us} ~~sepe~~ ^{sepe} lato, parum
acuminata, ~~remota~~ ^{obsoleta} serrata, basi vespi integerrima et sepe
acuta, utraque glaberrima membranacea, utraque glaberrima,
venosa, supra nitida, subtus pallidior, impunctata.

Petioles unguiculares, ^{fulvi} ~~sepe~~

Pedunculi axillares, ~~sepe~~, ^{longitudine} longitudine petioli, ~~uniflori~~ ^{uniflori} omnes uniflori,
glabri, ^{fulvi} ~~sepe~~. ~~Floris duplo majori quam in precedenti~~

Calyx quadrisfidus; laciniis ovatis.

Corolla petala ^{quatuor} ~~sepe~~ ovata, patentia, demum reflexa.

Stamina filamenta ^{quatuor} ~~sepe~~ erecta, petalis parum longiora. Arthera oblonga
erecta

Germ mem subrotundum. Stylus fere nullus. Stigma acutum.

Bacca ovato-subrotunda; magnitudine pipere ^{nona}, ^{tergiconclus}

Valde affe ^{nt} diuina, differt ramis floriferis ^{fulvis} nec ^{concoloribus} concoloribus, foliis tenuis
ribus; magis lucidis, basi plerumque vespi plerumque parum angustatis
et acutis, pedunculis paucioribus ^{sepe} omnibus unifloris, floribus ^{sepe} majoribus.

~~Mollia~~

Edmondson