

Sanguifera

1. officinalis L. fructus ovatis
2. medica L. fructus cylindricis
3. canadensis L. fructus longissimis

1 officinalis s. spicis ovatis Lin. l. v. p. 150 Fl. Dan. Tab. 47

Pimpinella sylvestris s. sanguifera major Dod. pempt. 105.

Pimpinella sanguifera major Baah. pin. 160.

13. Pimpinella major rigida proalta eunculata subnuda Boic. myf. 2. p. 19.
4. 7.

Halimolobos Europa praefixionibus?

Caulis angulatus, glaber uti tota planta, erecta. folia 6-7. supra

minora
subtus glauca

folioli ^{superiorum} alternis. auricula ovata ad basin folii petiolum
partialem. spica oblonga ^{si patenti inferiori} pedunculi superne alterne elonga

inferius β . auricula simplex subrotunda dente superne uti folia opposita
altera minora inferiora minora integerrima

oblongis folioli alternis stipulis subrotunda

maianthema Saugjuba villosa folioli profunde serratis,
speci ovatis virescentibus, calyce rugoso Defend fl. Alp pag 142
Pimpinella tingitana semine rugoso majore et minore
foliisque majoribus minoribus Mons 80. t. 10. fig. 4
Habitat Alpina 4

non vidi

2 media l. specis *Elydnis* Linn. S. V. p. 150

Pimpinella Canadensis major, specis brevioribus foliis lobatis Morif. hist.

3. p. 264. f. d. t. 10. fig. 2.

Pimpinella minor de Canada Zanou. hist. t. 130.

Habitat in Canada ?

Tota glabra. Similis officinali ad specis sesquipollucianibus, foliis
^{imparibus} ~~que ovato lanceolati~~ acute profunde serrati diversa. Solito
pinna septem opposita petiolata bipolli. rari altero latere
breviores specis purpureo. Petiolo ovato lanceolato ad basin petio-
lorum partialium.

Stipulatus

an foliola semper opposita

3. canadensis S. specis longissima ^{Cylindris} L. V. p. 158

Pimpinella sanguifera canadensis major, spica longissima alba Monf. h.

3. p. 264. f. o. t. 10. fig. 12.

Pimpinella maxima canadensis longius spicata Corn. Canad. 175. V. 174.

Barrel. fr. 10. fig. 7. 29.

Habitat in Canada &

Caulis sesquipedalis et ultra strictus glaber. folia petiolata
alterna pennata cum impari quadrifida. pinna petiolata
alterna ovato lanceolata, obtusa, ^{base pubescentia} grosse ^{base pubescentia} serrata bipolliciana
en ^{maiores} ~~trorsum latiora~~, duo infima cauli approximata salicata

lobalia terma petiolis basi dilatatis. Pedunculi elongati; parvales palmares et ultra alterni subrotundi folio ^{uno vel altero} ~~post~~ versus apicem. Spica alba tripollicares sesquipedalis

Cylindricis, folioli alternis exstipulati

Stipula nulla
inter folia