

Santalum

1. album L. foliis oppositis.
2. luteum L. foliis alternis

album Santalum L. S.V. pag 164 foliis ellipticis  
Sinium myrtifolium L. Mant. 200. S.V. p. 160

Habitat in India orientali ~~Sinipo~~

Tota glabra ~~ramis teretibus~~. folia petiolata ~~et~~ opposita lanceolata

elliptica ~~et~~ bipolliciana, integerrima ~~acuta~~, ~~subtus venosa~~

Petoli ~~caxi~~. ~~racemi~~, axillares folio duplo breviores. pedicelli oppo

si uniflori interdum triflori patentissimi

— lanceolata ellipticis

2 Cutecum Santalium foliis ovatis alternis  
Dedit de Habruis a Coll. Coften  
an hujus generis flores defuncta specimen ramis superne  
pubescentes

myrtifolium Sini

Lin. Mant. 200. \* S. V. pag. 160.

Habitat in India Orientali

Arbor facie Myrti: Ramis frutis, brachiatis parvis articulatis. Folia opposita, petiolata, lato-lanceolata, integerrima venosa, bipollicaria, glabra, subtus glauca. Stipula nulla. Thyrsus florum terminalis, brachiatus foliis brevior, Coris Lin. M. C. C.

excludenda cum eadem sit al Santalum album