

Sarvitalia

Sanvitalei Polyg. superfl. prope Serbesinum
Chersat. es centrali. Cal. 2 pluce sine polyphyllis. Peri. paleoicam sem

Disco: composita ciliata, nuda. radii 3 dentati
177. Feb. 33.
provincibus Sanvitalei See Mart. Journ. Bot. nat. no 17. Aug

Habitat in am. meridionale

articulans ~~rustica~~ ~~Indica~~ ~~diffusa~~, ~~spinosa~~, ~~spinis~~ ~~flaccis~~, ~~floribus~~ ~~pedunculatis~~ ~~axillari~~ ~~bis~~
solitariis Schwarts ~~prodr.~~ p. 13.

Habitat in ~~Samoa~~ ~~Insula~~ ~~V. Oculist~~ ~~ne~~ ^{glabri superne} ~~longe~~ ~~longe~~ ~~longe~~ ~~anguli~~ ~~rubescentibus~~
Rami obscure angulati, ^{coarctato cypho inter, ne} ~~patentissimi~~ ~~altissimi~~ ~~oppositis~~ ~~que~~, ~~articulatis~~ ~~apice~~ ~~latis~~
res simplices. ³⁻⁴ ~~folia~~ ~~plerima~~ ~~tuberculo~~ ~~in~~ ~~pendencia~~, ~~sub~~ ~~folio~~, ~~minuta~~, ~~oblonga~~, ~~glabra~~
berrima, ³⁻⁴ ~~integerrima~~, ~~emarginata~~, ~~basi~~ ~~dentata~~. ~~Spinis~~ ~~minutis~~ ~~axillares~~ ~~opposito~~
recto, ^{solus, brevibus} ~~horizontalibus~~ ~~intrafoliaceis~~. ~~Flores~~ ~~axillares~~, ~~pedicellatis~~, ~~solitariis~~, ~~rarius~~ ~~binis~~
~~pedicellis~~ ~~filiformibus~~ ~~longitudine~~ ~~foliorum~~. ~~Calyx~~ ~~parvus~~ ~~laciniis~~ ~~laciniolatis~~
Corolla ~~subregularis~~, ~~unguiculans~~ ~~laciniis~~ ~~limbi~~ ~~oblongis~~.

glabri superne
apicem pube
scentes

affinis ~~spinosa~~ ~~differt~~ ~~magnitudine~~ ~~foliorum~~ ~~floribus~~ ~~solitariis~~
Stipulae ~~microphylla~~ ~~folio~~ ~~ovato~~ ~~conaribus~~, ~~spinis~~ ~~axillari~~ ~~bis~~ ~~be~~
~~re~~ ~~spinis~~, ~~pedunculatis~~ ~~unifloris~~ ~~lateralibus~~ ~~La~~ ~~Mark.~~ ~~T.~~ ~~En.~~ ~~p.~~ ~~37~~

aggregatis
folio oblongo ~~sub~~ ~~uneatis~~, ~~spinis~~ ~~axillari~~ ~~bis~~ ~~berrimis~~ ~~rigidis~~
~~pedunculatis~~ ~~unifloris~~