

Sarracenia

1. flava S. foliis strictis
2. purpurea S. foliis gibbis

reba) Walther
runcor

Pittacena Sarraënia

Habitat in carolina herb. Rich.

folia radicalia, breviter petiolata, striata, 4 pollicaria, tubus inferne angustatus, superne reticulatus venis purpureis coloratis reticuli pallidioribus, in operculum desinens, ala folii sursum versus sensim latior nervoso cavitate latior ad orificium, nervoso-subvenosa, desinens superne margini convexo. Operculum compressum semicirculare, in apice ad unco terminatum, ante apicem, inferne emarginatum. Scapus semipedalis, ascendens, teres, foliola duo parva sub calyce. Calyx purpureus: foliola oblonga, extus versus sursum versus parum angustata, obtusissima. Petala obovata, purpurea, 3 extus versus vix pollicaria, longitudine calycis

variolaris Linnæana

Habitat in Carolina herb. Richardi

Folia radicalia, petiolata, striata, semipedalia nervosa, superne ad infimam
vires dorso reticulata, venis vix interstitiis ~~palbis~~, alba infra aperturam
depressis, sursum angustata, recta. Operculum et folio continuatum nervo
petiolatum ut in flava, compressum oblongum, obtusum. Calycis folio
la ovata, flavescentia, pollicaria, longitudine petalorum.

1 flava P. foliis striatis Len l.v.

Thyris limpidifolia Collet. Adv. 430. Salech. hist. 1754. Bauh.
hist. 1. p. 307.

Bursacephalum elatum virginianum f. limonum congeneris altera
species elatior, foliis triplo longioribus. Plukin. alon. 72.
amalth. 46. v. 152. fig. 3. v. 376. fig. 5.

Sarracena foliis longioribus et angustioribus. Cat. herb. carol.
2. pag. 69. v. 67.

Habitat in America septentrionali ad is 24

caulis radicalis petiolata, pedicelli striata, seapo albora
tubus lineae cylindricus diametro pollicari. limbus oblongus

2 purpurea L. foliis gibbis Lin. S. V. pag 4914 Mull. c. 161. 8. 246.

Limonium peregrinum, foliis forma floris *Antholochis* Bauh.
pen. 192.

Branchephyllum americanum, *Limonio* congener dictum
Plukh. alm. 71. amalth. 46. t. 376. fig. 6.

Sarracena foliis brevioribus Catechus. Catech. Carol. 2. p. 20
p. 70

Habitat in America septentrionalis udis 2
Folia petiolata, nervosa cuculata subo ventricoso
superius ampliato, faucē contracta stipula, margine antica
dentata. limbo reniformis cum patulis emarginatis
venter anticae canna membranacea

tom hujus quam flavo character emendandus