

# Saxifraga

caule subnudo, foliis indivisi

1. cotyledon. S. foliis radicalibus aggregatis linguulatis cartilagineo crenatis, petalis oblongis,  
Corymbata sicano paniculato.
2. aizom. S. foliis radicalibus aggregatis linguulatis cartilagineis serratis, calycibus glabris  
floribus racemosis
3. mutata S. foliis radicalibus aggregatis linguulatis cartilagineo ciliatis, caule  
racemoso, petalis lanceolatis
4. pennsylvanica S. foliis lanceolatis denticulatis, caule nudo paniculato, floribus  
subcapitatis
5. sedoides S. foliis aggregatis linear lanceolatis obtusiusculis nudis, caule sub  
nifloro.
6. androsacea S. foliis lanceolatis integris videntatisve ciliatis, caule subflore
7. odorata S. foliis aggregatis lanceolatis obtusis ciliatis, caule paucifloro.
8. cypria S. foliis linearibus perforato punctatis aggregatis recurvatis, caule  
subnudo multifloro
9. turfanensis S. foliis aggregatis imbricatis triquetris subulatis margine nudis, pedunculatis  
unifloris

10. byoides S. foliis subulatis imbricatis inflexis & ciliatis, pedunculis subsessilibus subsifloris

11. Venella S.

12. bronchialis S. foliis imbricatis linearibus ciliato-spinulosis, caule multifloro

13. tricuspidata S. foliis imbricatis lanceolatis tridentatis ciliatis, caule multifloro

14. stellans S. foliis serratis cuneatis,

15. nivola S. foliis spatulatis crenatis, floribus congestis

16. crassifolia S. foliis ovalebus retusis obsolete serratis petiolatis, panicula conglomera.

17. sarmentosa S. foliis subrotundis sublobatis, sarmentis axillaribus radiantibus, volla irregulari, caule paniculato.

18. punctata S. foliis subrotundis dentatis longius petiolatis

19. umbrosa S. foliis oblongis spatulatis cartilagineo crenato-dentatis, caule paniculato

20. hispida S. foliis cordato-ovalebus retusis cartilagineo-crenatis, caule paniculato

21. cuneifolia S. foliis spatulato-cuneiformibus dentato-serratis, caule subpaniculato

22. gem S. foliis reniformibus dentatis, caule paniculato.

xx foliis indivisi caule folioso

33. ~~24~~ muscioides L. foliis radicalibus aggregatis lineariibus integris trifidisque ~~scapo~~  
subaphyllo erecto paucifloris  
24. ~~23~~ Trichodes L. foliis lanceolatis acutiusculis oppositis alternisque, caule prostrato  
ramis, ramis subtifloris  
25. oppositifolia L. foliis oppositis obovatis, caulibus repentibus  
26. appera L. foliis caulinis alternis lanceolatis ciliatis, caulibus prostratis  
repentibus.  
27. hirculus L. foliis lanceolatis nudis inermibus, caule ascendente summo tomentoso  
gineo tomentoso.  
28. arizoides L. foliis caulinis lanceolatis sparsis ciliatis aculeatis, caulibus prostratis  
repentibus  
29. rudifolia L. foliis caulinis reniformibus dentatis petiolatis, caule paniculato,  
petalis lanceolatis

xxx foliis lobatis, caule erecto

30. ~~31~~ ~~32~~ ~~33~~ ~~34~~ ~~35~~ ~~36~~ ~~37~~ ~~38~~ ~~39~~ ~~40~~ ~~41~~ ~~42~~ ~~43~~ ~~44~~ ~~45~~ ~~46~~ ~~47~~ ~~48~~ ~~49~~ ~~50~~ ~~51~~ ~~52~~ ~~53~~ ~~54~~ ~~55~~ ~~56~~ ~~57~~ ~~58~~ ~~59~~ ~~60~~ ~~61~~ ~~62~~ ~~63~~ ~~64~~ ~~65~~ ~~66~~ ~~67~~ ~~68~~ ~~69~~ ~~70~~ ~~71~~ ~~72~~ ~~73~~ ~~74~~ ~~75~~ ~~76~~ ~~77~~ ~~78~~ ~~79~~ ~~80~~ ~~81~~ ~~82~~ ~~83~~ ~~84~~ ~~85~~ ~~86~~ ~~87~~ ~~88~~ ~~89~~ ~~90~~ ~~91~~ ~~92~~ ~~93~~ ~~94~~ ~~95~~ ~~96~~ ~~97~~ ~~98~~ ~~99~~ ~~100~~ ~~101~~ ~~102~~ ~~103~~ ~~104~~ ~~105~~ ~~106~~ ~~107~~ ~~108~~ ~~109~~ ~~110~~ ~~111~~ ~~112~~ ~~113~~ ~~114~~ ~~115~~ ~~116~~ ~~117~~ ~~118~~ ~~119~~ ~~120~~ ~~121~~ ~~122~~ ~~123~~ ~~124~~ ~~125~~ ~~126~~ ~~127~~ ~~128~~ ~~129~~ ~~130~~ ~~131~~ ~~132~~ ~~133~~ ~~134~~ ~~135~~ ~~136~~ ~~137~~ ~~138~~ ~~139~~ ~~140~~ ~~141~~ ~~142~~ ~~143~~ ~~144~~ ~~145~~ ~~146~~ ~~147~~ ~~148~~ ~~149~~ ~~150~~ ~~151~~ ~~152~~ ~~153~~ ~~154~~ ~~155~~ ~~156~~ ~~157~~ ~~158~~ ~~159~~ ~~160~~ ~~161~~ ~~162~~ ~~163~~ ~~164~~ ~~165~~ ~~166~~ ~~167~~ ~~168~~ ~~169~~ ~~170~~ ~~171~~ ~~172~~ ~~173~~ ~~174~~ ~~175~~ ~~176~~ ~~177~~ ~~178~~ ~~179~~ ~~180~~ ~~181~~ ~~182~~ ~~183~~ ~~184~~ ~~185~~ ~~186~~ ~~187~~ ~~188~~ ~~189~~ ~~190~~ ~~191~~ ~~192~~ ~~193~~ ~~194~~ ~~195~~ ~~196~~ ~~197~~ ~~198~~ ~~199~~ ~~200~~ ~~201~~ ~~202~~ ~~203~~ ~~204~~ ~~205~~ ~~206~~ ~~207~~ ~~208~~ ~~209~~ ~~210~~ ~~211~~ ~~212~~ ~~213~~ ~~214~~ ~~215~~ ~~216~~ ~~217~~ ~~218~~ ~~219~~ ~~220~~ ~~221~~ ~~222~~ ~~223~~ ~~224~~ ~~225~~ ~~226~~ ~~227~~ ~~228~~ ~~229~~ ~~230~~ ~~231~~ ~~232~~ ~~233~~ ~~234~~ ~~235~~ ~~236~~ ~~237~~ ~~238~~ ~~239~~ ~~240~~ ~~241~~ ~~242~~ ~~243~~ ~~244~~ ~~245~~ ~~246~~ ~~247~~ ~~248~~ ~~249~~ ~~250~~ ~~251~~ ~~252~~ ~~253~~ ~~254~~ ~~255~~ ~~256~~ ~~257~~ ~~258~~ ~~259~~ ~~260~~ ~~261~~ ~~262~~ ~~263~~ ~~264~~ ~~265~~ ~~266~~ ~~267~~ ~~268~~ ~~269~~ ~~270~~ ~~271~~ ~~272~~ ~~273~~ ~~274~~ ~~275~~ ~~276~~ ~~277~~ ~~278~~ ~~279~~ ~~280~~ ~~281~~ ~~282~~ ~~283~~ ~~284~~ ~~285~~ ~~286~~ ~~287~~ ~~288~~ ~~289~~ ~~290~~ ~~291~~ ~~292~~ ~~293~~ ~~294~~ ~~295~~ ~~296~~ ~~297~~ ~~298~~ ~~299~~ ~~300~~ ~~301~~ ~~302~~ ~~303~~ ~~304~~ ~~305~~ ~~306~~ ~~307~~ ~~308~~ ~~309~~ ~~310~~ ~~311~~ ~~312~~ ~~313~~ ~~314~~ ~~315~~ ~~316~~ ~~317~~ ~~318~~ ~~319~~ ~~320~~ ~~321~~ ~~322~~ ~~323~~ ~~324~~ ~~325~~ ~~326~~ ~~327~~ ~~328~~ ~~329~~ ~~330~~ ~~331~~ ~~332~~ ~~333~~ ~~334~~ ~~335~~ ~~336~~ ~~337~~ ~~338~~ ~~339~~ ~~340~~ ~~341~~ ~~342~~ ~~343~~ ~~344~~ ~~345~~ ~~346~~ ~~347~~ ~~348~~ ~~349~~ ~~350~~ ~~351~~ ~~352~~ ~~353~~ ~~354~~ ~~355~~ ~~356~~ ~~357~~ ~~358~~ ~~359~~ ~~360~~ ~~361~~ ~~362~~ ~~363~~ ~~364~~ ~~365~~ ~~366~~ ~~367~~ ~~368~~ ~~369~~ ~~370~~ ~~371~~ ~~372~~ ~~373~~ ~~374~~ ~~375~~ ~~376~~ ~~377~~ ~~378~~ ~~379~~ ~~380~~ ~~381~~ ~~382~~ ~~383~~ ~~384~~ ~~385~~ ~~386~~ ~~387~~ ~~388~~ ~~389~~ ~~390~~ ~~391~~ ~~392~~ ~~393~~ ~~394~~ ~~395~~ ~~396~~ ~~397~~ ~~398~~ ~~399~~ ~~400~~ ~~401~~ ~~402~~ ~~403~~ ~~404~~ ~~405~~ ~~406~~ ~~407~~ ~~408~~ ~~409~~ ~~410~~ ~~411~~ ~~412~~ ~~413~~ ~~414~~ ~~415~~ ~~416~~ ~~417~~ ~~418~~ ~~419~~ ~~420~~ ~~421~~ ~~422~~ ~~423~~ ~~424~~ ~~425~~ ~~426~~ ~~427~~ ~~428~~ ~~429~~ ~~430~~ ~~431~~ ~~432~~ ~~433~~ ~~434~~ ~~435~~ ~~436~~ ~~437~~ ~~438~~ ~~439~~ ~~440~~ ~~441~~ ~~442~~ ~~443~~ ~~444~~ ~~445~~ ~~446~~ ~~447~~ ~~448~~ ~~449~~ ~~450~~ ~~451~~ ~~452~~ ~~453~~ ~~454~~ ~~455~~ ~~456~~ ~~457~~ ~~458~~ ~~459~~ ~~460~~ ~~461~~ ~~462~~ ~~463~~ ~~464~~ ~~465~~ ~~466~~ ~~467~~ ~~468~~ ~~469~~ ~~470~~ ~~471~~ ~~472~~ ~~473~~ ~~474~~ ~~475~~ ~~476~~ ~~477~~ ~~478~~ ~~479~~ ~~480~~ ~~481~~ ~~482~~ ~~483~~ ~~484~~ ~~485~~ ~~486~~ ~~487~~ ~~488~~ ~~489~~ ~~490~~ ~~491~~ ~~492~~ ~~493~~ ~~494~~ ~~495~~ ~~496~~ ~~497~~ ~~498~~ ~~499~~ ~~500~~ ~~501~~ ~~502~~ ~~503~~ ~~504~~ ~~505~~ ~~506~~ ~~507~~ ~~508~~ ~~509~~ ~~510~~ ~~511~~ ~~512~~ ~~513~~ ~~514~~ ~~515~~ ~~516~~ ~~517~~ ~~518~~ ~~519~~ ~~520~~ ~~521~~ ~~522~~ ~~523~~ ~~524~~ ~~525~~ ~~526~~ ~~527~~ ~~528~~ ~~529~~ ~~530~~ ~~531~~ ~~532~~ ~~533~~ ~~534~~ ~~535~~ ~~536~~ ~~537~~ ~~538~~ ~~539~~ ~~540~~ ~~541~~ ~~542~~ ~~543~~ ~~544~~ ~~545~~ ~~546~~ ~~547~~ ~~548~~ ~~549~~ ~~550~~ ~~551~~ ~~552~~ ~~553~~ ~~554~~ ~~555~~ ~~556~~ ~~557~~ ~~558~~ ~~559~~ ~~560~~ ~~561~~ ~~562~~ ~~563~~ ~~564~~ ~~565~~ ~~566~~ ~~567~~ ~~568~~ ~~569~~ ~~570~~ ~~571~~ ~~572~~ ~~573~~ ~~574~~ ~~575~~ ~~576~~ ~~577~~ ~~578~~ ~~579~~ ~~580~~ ~~581~~ ~~582~~ ~~583~~ ~~584~~ ~~585~~ ~~586~~ ~~587~~ ~~588~~ ~~589~~ ~~590~~ ~~591~~ ~~592~~ ~~593~~ ~~594~~ ~~595~~ ~~596~~ ~~597~~ ~~598~~ ~~599~~ ~~600~~ ~~601~~ ~~602~~ ~~603~~ ~~604~~ ~~605~~ ~~606~~ ~~607~~ ~~608~~ ~~609~~ ~~610~~ ~~611~~ ~~612~~ ~~613~~ ~~614~~ ~~615~~ ~~616~~ ~~617~~ ~~618~~ ~~619~~ ~~620~~ ~~621~~ ~~622~~ ~~623~~ ~~624~~ ~~625~~ ~~626~~ ~~627~~ ~~628~~ ~~629~~ ~~630~~ ~~631~~ ~~632~~ ~~633~~ ~~634~~ ~~635~~ ~~636~~ ~~637~~ ~~638~~ ~~639~~ ~~640~~ ~~641~~ ~~642~~ ~~643~~ ~~644~~ ~~645~~ ~~646~~ ~~647~~ ~~648~~ ~~649~~ ~~650~~ ~~651~~ ~~652~~ ~~653~~ ~~654~~ ~~655~~ ~~656~~ ~~657~~ ~~658~~ ~~659~~ ~~660~~ ~~661~~ ~~662~~ ~~663~~ ~~664~~ ~~665~~ ~~666~~ ~~667~~ ~~668~~ ~~669~~ ~~670~~ ~~671~~ ~~672~~ ~~673~~ ~~674~~ ~~675~~ ~~676~~ ~~677~~ ~~678~~ ~~679~~ ~~680~~ ~~681~~ ~~682~~ ~~683~~ ~~684~~ ~~685~~ ~~686~~ ~~687~~ ~~688~~ ~~689~~ ~~690~~ ~~691~~ ~~692~~ ~~693~~ ~~694~~ ~~695~~ ~~696~~ ~~697~~ ~~698~~ ~~699~~ ~~700~~ ~~701~~ ~~702~~ ~~703~~ ~~704~~ ~~705~~ ~~706~~ ~~707~~ ~~708~~ ~~709~~ ~~710~~ ~~711~~ ~~712~~ ~~713~~ ~~714~~ ~~715~~ ~~716~~ ~~717~~ ~~718~~ ~~719~~ ~~720~~ ~~721~~ ~~722~~ ~~723~~ ~~724~~ ~~725~~ ~~726~~ ~~727~~ ~~728~~ ~~729~~ ~~730~~ ~~731~~ ~~732~~ ~~733~~ ~~734~~ ~~735~~ ~~736~~ ~~737~~ ~~738~~ ~~739~~ ~~740~~ ~~741~~ ~~742~~ ~~743~~ ~~744~~ ~~745~~ ~~746~~ ~~747~~ ~~748~~ ~~749~~ ~~750~~ ~~751~~ ~~752~~ ~~753~~ ~~754~~ ~~755~~ ~~756~~ ~~757~~ ~~758~~ ~~759~~ ~~760~~ ~~761~~ ~~762~~ ~~763~~ ~~764~~ ~~765~~ ~~766~~ ~~767~~ ~~768~~ ~~769~~ ~~770~~ ~~771~~ ~~772~~ ~~773~~ ~~774~~ ~~775~~ ~~776~~ ~~777~~ ~~778~~ ~~779~~ ~~780~~ ~~781~~ ~~782~~ ~~783~~ ~~784~~ ~~785~~ ~~786~~ ~~787~~ ~~788~~ ~~789~~ ~~790~~ ~~791~~ ~~792~~ ~~793~~ ~~794~~ ~~795~~ ~~796~~ ~~797~~ ~~798~~ ~~799~~ ~~800~~ ~~801~~ ~~802~~ ~~803~~ ~~804~~ ~~805~~ ~~806~~ ~~807~~ ~~808~~ ~~809~~ ~~810~~ ~~811~~ ~~812~~ ~~813~~ ~~814~~ ~~815~~ ~~816~~ ~~817~~ ~~818~~ ~~819~~ ~~820~~ ~~821~~ ~~822~~ ~~823~~ ~~824~~ ~~825~~ ~~826~~ ~~827~~ ~~828~~ ~~829~~ ~~830~~ ~~831~~ ~~832~~ ~~833~~ ~~834~~ ~~835~~ ~~836~~ ~~837~~ ~~838~~ ~~839~~ ~~840~~ ~~841~~ ~~842~~ ~~843~~ ~~844~~ ~~845~~ ~~846~~ ~~847~~ ~~848~~ ~~849~~ ~~850~~ ~~851~~ ~~852~~ ~~853~~ ~~854~~ ~~855~~ ~~856~~ ~~857~~ ~~858~~ ~~859~~ ~~860~~ ~~861~~ ~~862~~ ~~863~~ ~~864~~ ~~865~~ ~~866~~ ~~867~~ ~~868~~ ~~869~~ ~~870~~ ~~871~~ ~~872~~ ~~873~~ ~~874~~ ~~875~~ ~~876~~ ~~877~~ ~~878~~ ~~879~~ ~~880~~ ~~881~~ ~~882~~ ~~883~~ ~~884~~ ~~885~~ ~~886~~ ~~887~~ ~~888~~ ~~889~~ ~~890~~ ~~891~~ ~~892~~ ~~893~~ ~~894~~ ~~895~~ ~~896~~ ~~897~~ ~~898~~ ~~899~~ ~~900~~ ~~901~~ ~~902~~ ~~903~~ ~~904~~ ~~905~~ ~~906~~ ~~907~~ ~~908~~ ~~909~~ ~~910~~ ~~911~~ ~~912~~ ~~913~~ ~~914~~ ~~915~~ ~~916~~ ~~917~~ ~~918~~ ~~919~~ ~~920~~ ~~921~~ ~~922~~ ~~923~~ ~~924~~ ~~925~~ ~~926~~ ~~927~~ ~~928~~ ~~929~~ ~~930~~ ~~931~~ ~~932~~ ~~933~~ ~~934~~ ~~935~~ ~~936~~ ~~937~~ ~~938~~ ~~939~~ ~~940~~ ~~941~~ ~~942~~ ~~943~~ ~~944~~ ~~945~~ ~~946~~ ~~947~~ ~~948~~ ~~949~~ ~~950~~ ~~951~~ ~~952~~ ~~953~~ ~~954~~ ~~955~~ ~~956~~ ~~957~~ ~~958~~ ~~959~~ ~~960~~ ~~961~~ ~~962~~ ~~963~~ ~~964~~ ~~965~~ ~~966~~ ~~967~~ ~~968~~ ~~969~~ ~~970~~ ~~971~~ ~~972~~ ~~973~~ ~~974~~ ~~975~~ ~~976~~ ~~977~~ ~~978~~ ~~979~~ ~~980~~ ~~981~~ ~~982~~ ~~983~~ ~~984~~ ~~985~~ ~~986~~ ~~987~~ ~~988~~ ~~989~~ ~~990~~ ~~991~~ ~~992~~ ~~993~~ ~~994~~ ~~995~~ ~~996~~ ~~997~~ ~~998~~ ~~999~~ ~~1000~~ ~~1001~~ ~~1002~~ ~~1003~~ ~~1004~~ ~~1005~~ ~~1006~~ ~~1007~~ ~~1008~~ ~~1009~~ ~~1010~~ ~~1011~~ ~~1012~~ ~~1013~~ ~~1014~~ ~~1015~~ ~~1016~~ ~~1017~~ ~~1018~~ ~~1019~~ ~~1020~~ ~~1021~~ ~~1022~~ ~~1023~~ ~~1024~~ ~~1025~~ ~~1026~~ ~~1027~~ ~~1028~~ ~~1029~~ ~~1030~~ ~~1031~~ ~~1032~~ ~~1033~~ ~~1034~~ ~~1035~~ ~~1036~~ ~~1037~~ ~~1038~~ ~~1039~~ ~~1040~~ ~~1041~~ ~~1042~~ ~~1043~~ ~~1044~~ ~~1045~~ ~~1046~~ ~~1047~~ ~~1048~~ ~~1049~~ ~~1050~~ ~~1051~~ ~~1052~~ ~~1053~~ ~~1054~~ ~~1055~~ ~~1056~~ ~~1057~~ ~~1058~~ ~~1059~~ ~~1060~~ ~~1061~~ ~~1062~~ ~~1063~~ ~~1064~~ ~~1065~~ ~~1066~~ ~~1067~~ ~~1068~~ ~~1069~~ ~~1070~~ ~~1071~~ ~~1072~~ ~~1073~~ ~~1074~~ ~~1075~~ ~~1076~~ ~~1077~~ ~~1078~~ ~~1079~~ ~~1080~~ ~~1081~~ ~~1082~~ ~~1083~~ ~~1084~~ ~~1085~~ ~~1086~~ ~~1087~~ ~~1088~~ ~~1089~~ ~~1090~~ ~~1091~~ ~~1092~~ ~~1093~~ ~~1094~~ ~~1095~~ ~~1096~~ ~~1097~~ ~~1098~~ ~~1099~~ ~~1100~~ ~~1101~~ ~~1102~~ ~~1103~~ ~~1104~~ ~~1105~~ ~~1106~~ ~~1107~~ ~~1108~~ ~~1109~~ ~~1110~~ ~~1111~~ ~~1112~~ ~~1113~~ ~~1114~~ ~~1115~~ ~~1116~~ ~~1117~~ ~~1118~~ ~~1119~~ ~~1120~~ ~~1121~~ ~~1122~~ ~~1123~~ ~~1124~~ ~~1125~~ ~~1126~~ ~~1127~~ ~~1128~~ ~~1129~~ ~~1130~~ ~~1131~~ ~~1132~~ ~~1133~~ ~~1134~~ ~~1135~~ ~~1136~~ ~~1137~~ ~~1138~~ ~~1139~~ ~~1140~~ ~~1141~~ ~~1142~~ ~~1143~~ ~~1144~~ ~~1145~~ ~~1146~~ ~~1147~~ ~~1148~~ ~~1149~~ ~~1150~~ ~~1151~~ ~~1152~~ ~~1153~~ ~~1154~~ ~~1155~~ ~~1156~~ ~~1157~~ ~~1158~~ ~~1159~~ ~~1160~~ ~~1161~~ ~~1162~~ ~~1163~~ ~~1164~~ ~~1165~~ ~~1166~~ ~~1167~~ ~~1168~~ ~~1169~~ ~~1170~~ ~~1171~~ ~~1172~~ ~~1173~~ ~~1174~~ ~~1175~~ ~~1176~~ ~~1177~~ ~~1178~~ ~~1179~~ ~~1180~~ ~~1181~~ ~~1182~~ ~~1183~~ ~~1184~~ ~~1185~~ ~~1186~~ ~~1187~~ ~~1188~~ ~~1189~~ ~~1190~~ ~~1191~~ ~~1192~~ ~~1193~~ ~~1194~~ ~~1195~~ ~~1196~~ ~~1197~~ ~~1198~~ ~~1199~~ ~~1200~~ ~~1201~~ ~~1202~~ ~~1203~~ ~~1204~~ ~~1205~~ ~~1206~~ ~~1207~~ ~~1208~~ ~~1209~~ ~~1210~~ ~~1211~~ ~~1212~~ ~~1213~~ ~~1214~~ ~~1215~~ ~~1216~~ ~~1217~~ ~~1218~~ ~~1219~~ ~~1220~~ ~~1221~~ ~~1222~~ ~~1223~~ ~~1224~~ ~~1225~~ ~~1226~~ ~~1227~~ ~~1228~~ ~~1229~~ ~~1230~~ ~~1231~~ ~~1232~~ ~~1233~~ ~~1234~~ ~~1235~~ ~~1236~~ ~~1237~~ ~~1238~~ ~~1239~~ ~~1240~~ ~~1241~~ ~~1242~~ ~~1243~~ ~~1244~~ ~~1245~~ ~~1246~~ ~~1247~~ ~~1248~~ ~~1249~~ ~~1250~~ ~~1251~~ ~~1252~~ ~~1253~~ ~~1254~~ ~~1255~~ ~~1256~~ ~~1257~~ ~~1258~~ ~~1259~~ ~~1260~~ ~~1261~~ ~~1262~~ ~~1263~~ ~~1264~~ ~~1265~~ ~~1266~~ ~~1267~~ ~~1268~~ ~~1269~~ ~~1270~~ ~~1271~~ ~~1272~~ ~~1273~~ ~~1274~~ ~~1275~~ ~~1276~~ ~~1277~~ ~~1278~~ ~~1279~~ ~~1280~~ ~~1281~~ ~~1282~~ ~~1283~~ ~~1284~~ ~~1285~~ ~~1286~~ ~~1287~~ ~~1288~~ ~~1289~~ ~~1290~~ ~~1291~~ ~~1292~~ ~~1293~~ ~~1294~~ ~~1295~~ ~~1296~~ ~~1297~~ ~~1298~~ ~~1299~~ ~~1300~~ ~~1301~~ ~~1302~~ ~~1303~~ ~~1304~~ ~~1305~~ ~~1306~~ ~~1307~~ ~~1308~~ ~~1309~~ ~~1310~~ ~~1311~~ ~~1312~~ ~~1313~~ ~~1314~~ ~~1315~~ ~~1316~~ ~~1317~~ ~~1318~~ ~~1319~~ ~~1320~~ ~~1321~~ ~~1322~~ ~~1323~~ ~~1324~~ ~~1325~~ ~~1326~~ ~~1327~~ ~~132~~

34. Bellani S. foliis acaulis, foliis radicatis cuneiformibus tri vel quinque dentatis
35. adscendens S. foliis palmato-tripartitis. laciniis dentato-incisi, caule ascendente
36. cepitosa L. foliis radicatis aggregatis linearibus integris trifidis que, caule subnudo  
subtrifloro
37. fibrica S. foliis caulinis reniformibus palmatis pelosis, caule pedunculisque  
filiiformibus
38. undactyletes S. foliis cuneiformibus trifidis alternis, caule ramoso
39. pedemontana S. foliis cuneiformibus dentato-incisi, caulinis 3 quinquefidis  
caule multifloro
40. geranioides S. foliis radicalibus reniformibus quinquelobis multifidis, cauli  
nis linearibus, caule subnudo ramoso
41. apuzifolia S. foliis radicalibus palmato-quinquepartitis, summis linearibus  
indivisi, caulibus ascendentibus multifloris
42. granulata S. foliis lobatis: radicalibus reniformibus caulinis spatulatis sessilibus,  
petalis cuneiformibus
43. bulbifera S. foliis palmato-lobatis: caulinis sessilibus, caule ramoso bulbifero
44. cernua S. foliis caulinis lobatis petiolatis, summis oblongis linearibus  
integris sessilibus, caule simpliciter subnudo bulboso
45. rivulans foliis radicalibus palmatis: flouli ovato, caule bifloro subaphyllo.

*Saxifraga Saxifrag foliis radicalis aggregatis linearibus integris trifidaeque caule  
erecto subnudo subtrifloro Flor. Saec. 3764 L. V. pag. 414*

*Synonyma omnia Lin. ad reliqua species vel se manus va  
V Saxifraga ~~tridactyletes~~ <sup>telato fun</sup> ~~granlandica~~ <sup>caulis vulde folioh</sup> ~~foliis caulinis palmato multif.~~  
~~foliis palmatis laciniis acutis~~ Dell. bot. Elth 337. t. 353.  
# Saxifraga <sup>trifida</sup> 329*

*Habita in alpebus Norvegiae, Lapponiae Gronlandiae, Pyrenaeis, Helvetiis &  
Eolia radicalia, aggregata seminaequilantia, ex trosum latera  
apice trifida vel quinquifida <sup>subpenta</sup>. Caulis a se eadem foliis uno altero  
se instructo inferum trifida suprema integra. Peduncululi terni  
reliet laterales bini vel tres uniflori sive biflori. Calyx superius  
fl. majore quam in affinis et minoris quam in pedemontana*

# *Saxifraga Gronlandica foliis caulinis palmatis multif.  
dis passis laciniis acutis caule erecto Lin. Spec  
pl. pag. 414*

*nam Pedemontana, Bellandi, moschata, cespitosa et Gronlandica  
non parum vel nihil inter se differunt*

*Saxifraga* <sup>cuneiformibus radicalibus integris tridentatis tripartitis trifidis</sup>  
*petrosa* *Saxifraga* foliis caulinis ~~cuneiformibus apice dentata~~ <sup>caule</sup> subsimpli: erecto  
*Saxifraga* alba *petrosa* Pons Bald. 339. Ny. 337.  
 Sedum *tridactylites* alpinum majus album Bauh. Pin. Mon. hist. 3 p. 479. fig. 109  
~~fig. 28.~~

*Saxifraga* caule folioso multifloro, foliis palmatis hirsutis Hall. h. n. 987  
*Saxifraga* foliis palmatis, caule dense folioso, et florifero Jacq. All. Spec.  
 pedem. p. 17. t. 3. fig. 1.

*Saxifraga* Scopoli foliis inferioribus integris; caulinis trifidis, caule suberect  
 40 Vall. prop. p. 47. Scop. fl. Carn. 499. t. 16.

*Saxifraga* <sup>hypnoides</sup> *petrosa* foliis caulinis palmato tripartitis: laciniis subtrifidis,  
 caule monospermo lato lin. L. V. pag. Spec. pl. pag 570. \* S. V. p. 414. Wallenb  
 obs. pag 59. Gaerq. coll. 1. p. 200 Flor. Dan. t. 68. *Saxifraga* *petrosa* flor  
 Norv. 427. *tridactylites* id. 544. t. 9. fig. 1-3. Flor. Lappon. 173. B

adscendens e  
 all. fl. Pedem  
 11. 1537. tab.  
 22. fig. 3. et  
 Syn: proter  
 lin.

Habitat in alpebus, Pyrenois, Baldi Norvegeris  
 Caulis palmaris vel paucum ultra erectus simplex, villosus crispus internodum  
 ramosus. Folia ad radicem in rosetam aggregata cuneiformia integra  
 vel si dentata semiangustiora: caulina simplicia apice dentata vel trifida  
 Pedunculi versus apicem caulis erecti. Calyx superus  
 in interdum dupli

*Urid adyletes laxifraga* foliis cuneiformibus trifidis alternis, caule erecto ramoso lin. 8 Cor.  
Lucei: 375 . S. V. p. 570.

*Paronychia altera* Dod. pempt. 113.

*Sedum Uridadyletes tectorum* Bauh. Pin. 205.

Habitat in Europa arenosis, minus O. <sup>subsp. v. h.</sup>

Planta fere ut pollicaris pubescens simplicis formis vel superne ramosis. Folia  
radicalia aggregata canaliculata, infera vel dentata caulina remota basi  
angusta apice trifida <sup>ragini 57. 58.</sup> sed unculi superne uni-  
flori pauci. Calyx  
superius. Flores parvi

cernua Saxifraga foliis caulinis lobatis petiolatis <sup>lobis acutis</sup> summis oblongis <sup>caecum bursaque</sup> integris sephalibus, caule  
simplici ~~simplici~~ <sup>sub</sup> unifloro bulboso

Saxifraga foliis palmatis caule simplici unifloro Flor. Lapp. 172. t. 2. p. 4.

Saxifraga cernua foliis caulinis palmatis petiolatis caule simplicissimo  
unifloro bulbifero Lin. Sp. pl. p. 577. S. V. p. 413. Fl. Dan. t. 22.

in alpinis Norvegiae et Lapponiae frequens ?

Radix <sup>gravi</sup> ~~ta~~ Caulis palmatis vel paucis ultra plerumque simplicissimus interdum  
ramosus erectus, glaber vel paucis villosus. Folia ~~radicalia~~  
~~longe petiolata~~ vix unguicularia glabra ovata radicalia subrotunda  
longe petiolata 5-7loba lobis rotundatis acutis obtusiusculis  
caulina superiora 3loba petiolata superiora simplicia oblonga obtusa  
ultima lanceolata. bulbi plures in axillis foliorum superiorum  
floris terminalibus paucis nutantibus. Germina superiora Petala ob-  
coniceiformia





irulans Saxifraga foliis radicalibus <sup>lobis rotundatis</sup> palmatis ~~ca~~ summo florali ovato, caule sub-  
phyllis bifloro subaphyllo

Saxifraga foliis radicalibus quinquelobis florali ovato Flor. Lapp. 174.

t. 2. fig. 7.

Saxifraga irulans foliis caulinis palmatis: summo florali ovato, caule  
simplici subbifloro Lin. V. p. 414. Flor. Dan. 110.

Habitat ad alpeum Norvegiae et Lapponiae latera et rivulos.

Planta digitalis tota glabra. Folia radicalia, plura longe petiolata  
profunde quinqueloba lobis rotundatis obtusis: caulina nulla.  
Petioli longitudine fere caulis. caulina nulla nisi foliolum florale  
subpedunculis oblongum. pedunculi bini unguiculares cum flori

granulata Saxifraga <sup>lobatis</sup> foliis radicalibus reniformibus caulinis spatulatis sessilibus caule  
~~caulis pedalis~~ petalis cuneiformibus <sup>in densis et creantur</sup>

Saxifraga Brunfelsi

Saxifraga alba God. pempt 316.

Saxifraga alba tuberosa radice Clus. hist.

Saxifraga ~~et~~ rotundifolia alba Bauh. Pin. 577

<sup>lobata</sup> Saxifraga granulata foliis caulinis reniformibus lobatis, caule ramoso  
radice granulata Lin. S. V. pag. 413 - 8<sup>a</sup> Dan. 514

Habitat in Europa apricis. 7

Caulis pedalis <sup>in loco</sup>. Folia radicalia petiolata 8-10 lobata lobis rotundatis  
Petiolus in folium dilatatum, <sup>folia</sup> ~~margine~~ <sup>marginibus</sup> ~~marginibus~~ <sup>marginibus</sup> serratis. Caulinis  
paucis sessilibus ~~extremis~~ dilatatis 5 lobata lobis lanceolatis acutiusculis  
pedunculis lateralibus et terminalibus paniculatis. Racemus calycis ob  
longi obtusi. ~~ger~~ villosi. Germe inferum. Pet

+ villosus

airioides Saxifraga foliis caulinis lanceolatis sparsi ciliato aculeatis, caulis  
procumbentibus Lin. Fl. Suec. 377. Herb. prodr.

~~Sedum macroni genus foliis luteis vel croceis maculatis J. F. Lor~~

~~Sedum alpinum floribus luteis maculatis Bauh. Pin.~~

Sedum minus V. Pl. h. 2. p. 60

Sedum alpinum flore pallido Bauh. pin 204 Monj. hist. 3. p. 477. f. 12.

t. 6. fig. 3.

Saxifraga

alpinum luteo  
Sedum album Tournef  
constat. 1. h. p. 4  
herb. quesi.

alpinum luteo saxifraga airioides foliis caulinis linearibus subulatis sparsis nudis  
inermibus, caulis decumbentibus Lin. S. V. pag. 413.

Saxifraga autumnalis A. D. L. Dan. 7. 72. Scop. flor. Carn. 1. n. 493  
H. 74.

Habitat in alpinis Helvetiis, Norvegia, Pyrenaeis ad rivulos  
Caulis plures basi procumbentes demum erecti simplicissimi glabri. <sup>digitales vel</sup> folia  
linearibus lanceolata, superne remotiora, crispifolia tenuissima semi  
unquiculata, margine ciliis albis, rigidis. Pedunculi superne 3-4 simplicis  
semi semipollinarii. patens + Calyx inferius laciniis ovatis acutis  
petala flava croceo maculata. Receptaculum fere croceum

ultra

hercules Saxi fraga foliis lanceolatis <sup>margine lobatis</sup> nudis inermibus caule ascendente superne  
tomentoso ferrugineo

Herules qui Chamocistus genus Clus. cur. post. 5.

Chamocistus crispus, foliis nardi Celticae Bauh. Pin. 461.

Genus palustre luteum bicorne, nardi Celticae similis Monf. h. 3. p. 477.

Saxifraga hercules foliis caulibus lanceolatis alternis nudis inermibus, caule  
erecto Lin. Sp. pl. per. 576 \* l. v. p. 413. St. Dan. 200 Inet. pt. 4p. 165. 865.

~~β. Sedum monardii <sup>gravi</sup> <sup>sepius</sup> <sup>puteis</sup> <sup>et</sup> <sup>3.</sup> <sup>erectis</sup> <sup>maculatis</sup> <sup>goss.</sup> <sup>herb.</sup> <sup>in</sup> <sup>flor.</sup>~~  
~~Sedum alpinum <sup>sub</sup> <sup>erectis</sup> <sup>maculatis</sup> <sup>goss.</sup> <sup>herb.</sup> <sup>in</sup> <sup>flor.</sup> <sup>12.</sup> <sup>4.</sup>~~  
Sedum alpinum flore pallido Bauh. Pin. 204 Monf. h. 3. p. 477.

~~β. 6~~  
Sedum foliis caulibus <sup>sub</sup> <sup>alt.</sup> <sup>erectis</sup> <sup>maculatis</sup> <sup>goss.</sup> <sup>herb.</sup> <sup>in</sup> <sup>flor.</sup> <sup>12.</sup> <sup>4.</sup>  
decumbentibus Lin. Sp. pl. 413. Flor. Dan. 1. 72

Habitat in alpinis Helvetia, Caenonia, Siberia Flandria, β. in alpinis  
Planta palmari et ultra, basi ascendens, erectus simplicissimus inferne  
glaber versus florem lana ferruginea tectus. Folia lanceolata inferne  
longe petiolata superne obtusiuscula latera, superne sessilia acutiora  
angustulana sensu breviora, integerrima, glabra. St. terminalis  
solitaria rarius flores bini. Calyx inferne foliolis lanceolatis. Glabri

petala oblonga, flava immaculata, obtusi calycis duplo longiora, nervosa  
& glandica foliis crassioribus

β Sedi minori generis flosculis luteis vel viridibus maculatis Jap.

Sedum alpinum floribus luteis maculatis

Sedum angustifolium autumnale, flore luteo guttato Mon. h. 3. p. 477. f. 12. v.

fig. 6.

Saxifraga angustifolia autumnalis, flore luteo guttato, foliis florum magis  
acuminatis Breyer. cat. 106. v. 40

<sup>alpinis</sup>  
Saxifraga foliis caulinis linearibus alternis ciliatis: radicalibus aggrega  
Lin. l. v. p. 413. Jacq. coll. 4. p. 2. p. 10

oppositifolia saxifraga foliis oppositis, sumis obovatis caulibus repentibus

Saxifraga alpeana <sup>erectior</sup> saxifraga caule reptante foliis quadrifariam imbricatis ciliatis ciliis

Saxifraga alpeana <sup>erectior</sup> florae purpureae caule Taurinensis herb. n. 900.

Herb. n. 900. Saxifraga caule reptante foliis quadrifariam imbricatis ciliatis ciliis

Saxifraga caule reptante foliis caulis ovatis oppositis imbricatis, summis ciliatis herb. n. 900.

Spec. veg. 575. Saxifraga fl. Lappon. 179. varietas B. Fl. Dan. Tab. 21. fig. 3.

Saxifraga oppositifolia All. flor. ped. 1531. Tab. 21. fig. 3.

B. Saxifraga foliis imbricatis ovatis, caulibus reptantibus bifloris Hall. hist. 901. Meddlemi miscel. Taur. tom. 5. p. 86

Saxifraga biflora All. fl. Ped. 15307. 21. fig. 1.

Saxifraga Len. Flor. Lapp. Tab. 2. fig. 1.

A A Saxifraga alpeana erectior florae purpureae Tournef. J. R. H.

retusa Saxifraga caule reptante foliis quadrifariam imbricatis acutis glabris <sup>erectior</sup> Mesic. Taurin. Tom. 5. p. 86.

purpurea Saxifraga retusa Gaucan ill. p. 2 d. t. 17. fig. 1.

Saxifraga purpurea All. flor. Ped. 1531. 4. 21. fig. 2.

Habitat in rupibus alpinis Lapponico Norvegia, Helvetia, Pyrenaeis

24 retusa E. foliis quadrifariam imbricatis retusis margine lobatis

Omnes varietates gaudent foliis saepe repente foliis <sup>crispis</sup> oppositis, obovatis plus  
vel minus acutis, remotiora vel confertiora, in terne semper imbricata  
ramis elongatis, foliis obtusioribus ~~ma~~ remotioribus basi tantum ciliatis  
ramulis bifloris vel unifloris. et foliis angustioribus acutioribus, ciliatis om-  
bus; subimbricatis apice rectis ut  $\beta$ . flores solitarii ramulis unifloris flo-  
subsolitarii foliis subtus canalicatis supra canaliculatis  $\gamma$  foliis brevio-  
bus densius quadrifariam imbricatis margine subnatis, apice paten-  
tibus ramis ramulisque obtusis retusis. pedunculis bifloris, flor-  
minores  
 $\gamma$  varietatem adhuc legi in alpebus Norvegiae facie  $\beta$ . et margine foli-  
ciliato.

Planta cespitosa floris rariore planta sat magno purpureo



nevalis Saxifraga foliis spatulatis crenatis, caule nudo floribus congestis Act.

Joc. hist. Nat.  
Scdm III.

Saxifraga foliis oblongis rotundis dentatis floribus compactis Rai. angl. 3. p. 354. t. 16. f. 1.

Empetrum minus dentatum Mart Spitzberg. 43 t. 8. fig. a.

Saxifraga caule nudo simplici, foliis elliptico subrotundo crenatis, floribus  
caputatis Cl. Lap. 176. t. 2. f. 5. 6.

Saxifraga foliis cordato-ovalibus crenatis, corolla alba, caule susupto apthello  
Gron. Virg. 160.

Saxifraga nevalis foliis ~~obovatis~~ crenatis subsessilibus, caule nudo flori-  
bus congestis Cl. Dan. t. 20.

Habitat in summis alpebus Norvegiae Lapponia, Spitzbergenibus, Arconia,  
Sveynia, Canada &c

Planta perthamda. Folia radicalia pollicaria congesta basi integerrima  
in petiolum planum angustata. Scapus erectus simplex pubescens  
apice in pedunculo obovato indiviso per se pedunculis pubescenti-  
bus. Flores in capitulis congestis

*stellaris saxifraga foliis serratis caule nudo/ramoso. Lin. S. V. pag 412. Ed. Dan. t. 23*  
*pub.*  
*subiuncati calycibus reflexis*  
Gouan. Coll. 1. p. 202.  
Pedum alpinum IV.

Pedum montanum hirsutum, mucronato et dentato folio, flore albo guttato Monf. herb.  
p. 470. f. 12. t. 9. fig. 13.

*Saxifraga montana caule nudo myosotis, floribus albis umbellatis Pluk.*  
alm. 331. t. 50. fig. 2. t. 222. fig. 2.

*Saxifraga Clusii Gouan illust.*  
minu. foliis *Saxifraga caule nudo simplicis, foliis lanceolatis dentatis, petalis acutis & lappis*  
profunde *1754*  
crenatis *1754*

Habitat in alpinis Spitzbergen, Lapponia, Norvegia, Helvetia, Aynois  
4. R. herb.  
fieri herb. 4us Westmerlandia, Pyrenaeis in humidis

*Plantae digitalis* <sup>*ultrapetala*</sup> *ere vel parum culta, folia ad radicem aggregata cuneis*  
*formis acuta superne dentata semiangulata sessilia. Scapus erectus*  
*aphyllis. Pedunculi superne aequo uniflori interdum flori solitarii*  
*2 vel gemini. Calyx reflexus petala lanceolata punctata*

13. *Saxifraga caule nudo simplicis, foliis dentatis coma foliosa Lin. fl. hupp.*  
Tab. 2. fig. 3

V. *Tota glabra Scapis capillibus raris ramosis basi in petiolum attenuata*  
*an specie diversa? ex Hispania*

*Clusii non nisi homo unifloro diversa*

Saxifraga Clusii herb. Tus.

Sanicula alpina aliquatenus accedens G. Bauh. 5. p. 708

gemm. pedic. minor. foliis oblongis crenatis Tournef. Inst. R. herb. 252.

Radix saxifraga Stallani. Folio spatulato, dentato, oculo armato villis raris  
fiori adpresso. Scapus superne subpelosus, alterne parum ramosus. Folioden  
lineare lanceolatum ad basin pedunculi

tricuspidata  
tridentata Saxifraga foliis lanceolatis <sup>imbricatis</sup> ciliato spinulosis apice tridentatis, caule subaerido  
multifloro Fl. Dan. tab

~~Saxifraga~~ tricuspidata

act. Hafn. t. p. 44 b. t. 6. fig. 21. Fl. Norv. 1046

Saxifraga tridentata tricuspidata foliis lanceolatis. radice calibus congestis  
tricuspidatis, caulebus procumbentibus multifloris Rati prod. fl. t.  
465.

Habitat in Gronlandia

affinis precedenti differt foliis parum latioribus apice dentibus parvis  
si. varietate petalis lanceolatis Stoblenz.

grönländica Sax. foliis caulibus palmato multifidis parvis. latius acutis caule erecto <sup>polyphyto</sup> Lin.  
S.V. p. 414

Saxifraga tridactylites grönländica, caulibus valde foliosis Dill. Elth.  
537. t. 353. fig. 329.

Habitat in Grönländia forte etiam in Pyrenæis et Helveticis alpebus

97. Varietas capitulo

palmato *P. foliis pilosis palmatis quinquefidis trifidoque, caule folioso panicu-  
lato, petalis subrotundis* Smith. fl. Angl. p. 2. pag. 456. Engl. bot. Tab  
455.

*Saxifraga* fl. Dan. Tab. 71.

Habitat in rupibus alpinis &

Radix caespitosa. Caulis palmatis, erectus, teres, pilosus, parum foliosus  
per stolones ad basin erectusculi, foliosus. Sola basi angustata et elongata  
radicalis squarrosa, raris spica, congesta. caulina spica; lacinae omnes  
ellipticae. Panícula 5-7 flora. Bracteae spicae vel induratae. Calyx usque  
dus. semisuperius. Petala flavescent. alba, triplex

mutata *Saxifraga* foliis radicalibus aggregatis lingulatis cartilagineis <sup>mutatisque</sup> marginibus cartilagineis  
~~bas. inferis~~  
ciliatis caule racemoso ~~foliis~~ petalis lanceolatis

*Saxifraga foliorum limbo cartilagineo integro, specie longa, floribus purpureo*  
Crocei sequ. Ver. 3. p. 199.

*Saxifraga mutata* foliis radicalibus aggregatis lingulatis cartilagineis serratis  
caule racemoso foliis lin. spec. pl. p. 570 \* S. V. pag. 411. Jacq. Collect. 1.

p. 284.

Habitat in alpebus Helvetia, Italia

Similis var: procedenti differt foliis basi ad basin ad medium ciliatis ad  
medium ad apicem integerrimis foliis caulinis integerrimis, caule racemose  
magis villosa villosa. Racemus brevi palmaris ~~et~~ pedunculis tri. s. uniflori  
Flores majores petala flava.

*Cuneifolia Saxifraga* foliis cuneatis, 15que lobis: cartilini lanice  
latis, floribus paniculatis Cavan. fr. vol. 3. pag 25  
tab 240.

Habitat in Hispania 4

michi ignota



Cingulata s. foliis radicalibus aggregatis linearibus, cartilagineo in  
natis, petalis oblongis, caule paniculato glabro

Saxifraga Cingulata foliis radicalibus longissimis linearibus, filicatis  
cartilagineis; integerrimis, caule folioso paniculato. Bellard.  
in auct. fl. ped. pag. 20

Habitat in alpebus montem pedem. Dr. Bellardi.

Caulis sesquipedalis purpurascens glaber teres. folia radicalia  
sesquipollicaria caulina spissa per se minus sub sin-  
gulo pedunculo pedunculi filiformes pedicelli folio-  
lo uno alterove alterni micropi

airoum Paxifraga foliis radicealibus aggregatis lingulatis cartilagineo serratis calycibus  
glabris floribus racemosis  
airoum serratum Thal. Cord. his. 4. p. 92.  
umbilicus veneris Lob. Ic.

Cotyledon media foliis oblongis serratis Bauh. Pin. 205.

Cotyledon minor foliis oblongis serratis Bauh. prodr. 133. pin. 205.

Sedum serratum Bauh. hdt. 3. p. 609.

Paxifraga airoum  
Paxifraga hirsuta foliis angustioribus serratis Tournef. Inst. 252. Segu. Veron. 1. p. 44 p. 74. fig. 1

Paxifraga airoum foliis radiatis aggregatis lingulatis cartilagineo serratis, caule subramosis, ca  
Paxifraga airoum foliis radiatis aggregatis lingulatis cartilagineo serratis, caule subramosis, ca  
15. Cotyledon minor foliis subrotundis serratis Bauh. Pin. 205. } Lya glabro L. V. p. 411.  
} Jacq. Pl. Auf. v. 5. t. 430  
} all. f. Peder. 1516.

Cotyledon minor foliis subrotundis serratis Bauh. Pin. 205.

Habitat in Alpibus Italicis Helveticis &

differt ab antecedente foliis brevioribus serratis ciliatis, caule humiliori  
pannicula non ramosa, floribus plerumque racemosis calycibus glabris

exarata Saxifraga foliis radicis trifidis aggregatis supra lineatis, caule subaphyllo  
multifloro

Saxifraga exarata foliis palmato trifidis, superne lineatis hirsutis: caule  
ascendente multifloro, petalis trinerviis Vill. prosp. p. 17. All. flor.  
Pedem. 1539. tab. 88. fig. 2.

Habitat in alpinis Sabaud. 4.

Tacis hypnoides et multo minor tota villosa vesp. foliis nervosis.

medea L. foliis radicalibus aggregatis lingulatis cartilagineis margine supra  
punctatis, petalis oblongis, caule racemoso Jonan ill. pag

Habitat in Pyrenis

Corolla purpureo violacea

non vidi

Sedooides Saxifraga foliis aggregatis <sup>caule</sup> oppositisque <sup>bus</sup> linear lanceolatis, <sup>octuplo pinnatis nudis</sup> lobis pedunculatis  
pedunculatis sub unifloris

~~Saxifraga alpina minima, foliis ligulatis in d. ternatis, flore octolobis~~  
~~Reg. Verm. 450. t. 9. fig. 2. in tab. 92. fig. 2. Notus 2~~

Saxifraga sedoides foliis aggregatis oppositis, alternisque sub lanceolatis  
flore pedunculato Lin. S. V. pag. 412 \*

Habitat in Alpibus Tridentinis, Sibinis 2

Caules caespitiosi depressi ceteris rudimentis foliorum, apice terminati  
foliis aggregatis lobis margine nudis. Pedunculus terminatus sesqui  
pedicellariis exilis superne pubescenti rufescente adpressis foliis uno alte  
rose linearis seta etc. Et perennique aniflorus interdum biflorus  
Calyx superius basi pubescenti rufescente. Petala lanceolata

*odorata* Saxifraga <sup>aggregatis</sup> foliis lanceolatis obtusis ciliatis caule paucifloro  
Saxifraga alpina minima, foliis lingulatis in orbem circumactis, flore ochroleuco  
Segu: Veron. p. 450. t. 9. fig. 3.

Saxifraga foliis mollioribus ellipticis, caule paucifloro Hall. bot. tom. 1. n. 985. All.  
Mise: Taur. Tom. 9. p. 87. t. 117.

Saxifraga muscoides All. Flor. ped. 1520. t. 66. fig. 2.

Habitat in alpebus Helvetiæ, monte Cenisio &

Planta cespitosa affinis: sed ~~o~~ differt foliis late viridibus ciliatis, teneris  
petalis pallide flavis a S. muscoides s. v. foliis omnibus integris

omnibus Pommerella.





Diapen sordidus <sup>radicalibus</sup> foliis aggregatis imbricatis carinatis rectis obtusis impunctatis  
caule villosis villosis subfolioso paucifloro  
partifraga Diapen sordidus foliis aggregatis imbricatis carinatis ovatis  
incurvis caule villosis subfolioso paucifloro Bellard in  
Aut-fl. pedem. 109. 21. Tab. 3.

Habitat in fessuris rupum Alpinam montima Bellardi  
Planta glabra Diapen sordidus helveticus capitulo caulis vix pollicari  
caulis foliis copiosissimis dense imbricatis. crassitie fere pernae aequae  
folia linearia apice patula parva subtus cinnamata infera  
emarginata. crassa supra emarginata glauco viridia caetera fere  
vix longitudo digiti minimi. folia caulina parva parva  
flori 2-3.

burseriana Saxifraga foliis aggregatis imbricatis triquetris subulatis margine nudis, caule  
pedunculo uniflori

Pedum minimum tertium Label. Lugo.

Pedum alpinum Saxifraga albo flore Bauh. Pin. 204.

Saxifraga alpina, foliis glaucis acutis, monanthos caule folioso Lycop.  
sero f. 3. p. 201. t. 5. fig. 2.

Saxifraga burseriana foliis aggregatis imbricatis subulatis lobatis  
caule subnudo unifloro Linn. Spec. pl. p. 572. t. 5. v. per. 411.

Saxifraga foliis crispis nitentibus, caule v. proo paucifloro Hall.  
act. Helv. 6. p. 10. t. 39.

Habitat in Taurentho Stadiensi, montibus Lesanensis &

Cespitosa folia juniperina, subtus canata acuta glabra  
dens imbricata. Pedunculus inter folia pollicari reflexus  
& hispida glutinosus adserpsi foliolis 2. 3. subulatis capite  
purpureis apice viridibus. Floster terminalis solitarius Calyx  
purpurascens petala lactea lineis purpureis.  
varietas caule 5 floro floribus fastigiatis e monte Canev Italia

bryoides Saxifraga foliis <sup>ag.</sup> subulatis imbricatis inflexis ciliatis ~~spicatis~~ pedunculis  
subfoliosis <sup>sub hi</sup> unifloris

Sedum Eudem alpinum quoadum Col. ephr. 2. p. 66. 7. 67. fig. 1. 2.

Sedum musifolium Bauh. hist. 3. p. 699. Scheuchz. alp. 142. 7. 21. fig. 2.

Saxifraga pyrenaea minima luteo musio similis Tournef. G. R.  
H. 253.

Saxifraga foliis ciliatis inflexis imbricatis, caule nudiusculo  
multiflora Lin. S. V. pag. 412. Mart. 303 \*

Habitat in alpebus Helveticis Pyrenaeis &

coepitosa facie Bryi affinis l. bussonana ut facile confunditur  
diversa foliis brevioribus non rectis sed apice inflexis minime

caninatis ciliis minutis denticulatis. pedunculo viridi vix vulto  
pubescens calyce glabro  
foliis nonnulla in pedunculo

Sedum herb. Musf. huius peduncul. Sedum minus sive alpinum & Illusii herb.

Saxifraga alpina minima foliis ciliatis deorsum incurvis Tournef.

G. R. h. quod tamen potius ad esiam spectare videtur

tenella Sax: foliis lineari-subulatis ciliatis pinnula terminatis, caulebus erectis,  
panicifloris stolonibus a latere cauliferis Wulfen. Coll. Gory. 3<sup>o</sup> p.

2<sup>o</sup> p 144. tab. 17

Habitat in Canathia

similis f. Bronchiale

non vidi

bronchialis Saxifraga foliis umbriatis linearibus ciliatis <sup>pinulosis</sup> ~~dentatis~~ <sup>lati</sup>, caule subnudo  
multiflora.

Saxifraga bronchialis foliis umbriatis subulatis ciliatis pinulosis caule subnudo  
multiflora Gmel. Sib. 4. p. 164. t. 65. fig. 2. Lin Spec. pl. pag 572. \* L. V.

p. 412.  
Habitat in Siberia 4

Planta palmaris vel parum ultra <sup>copulata</sup>. Caulis ascendens simpliciter folio uno  
altero adpressi subulato integerrimo, albo mucronato, radiculis congeste  
caulem versus integra femurque ulana et ciliis rigidis albidis crassis  
filiis. Flores terminales parvis u. latis. pedicellis filiformibus bracteis  
linearibus basi. Calyx inferus foliolis ovatis petala lanceolata

~~ellipticus~~ oblongus

pennsylvanica latifraga foliis lanceolatis denticulatis, caule nudo paniculato, floribus subsessilibus Lin. S.V. p. 411.

Lanicula virginiana alba, foliis oblongo mucronato Pluk. alm. 331. t. 59. fig. 1.

et Tab. 222. fig. 5.

Latifraga pennsylvanica, floribus muscosis racemosis Dill. Elth. 337. t. 253. fig. 320.

Habitat in Virginia, Pennsylvania, Canada &

Caulis erectus pedalis striatus teres crassitie pennis antennis villosus simplicissimus. Folia radicalia glabra, <sup>obtusiuscula vel mucronata</sup> ~~acuta~~, crassiuscula quadrilobellata, basi in petiolum angustata, ~~retorta~~. Flores ad apicem <sup>pedunculorum parvorum</sup> in capitulis alternis congestis. P. parvi. Pedunculus communis densè villosus.

androsacea <sup>lanceolata</sup> foliis oblongis <sup>le</sup> tridentatis <sup>se</sup> caulis ciliatis, caule  
nudo <sup>subbifloro</sup>  
Sedum alpinum Verh. bot. Liph. 2. p. 66. t. 67. fig. 1. et. Pluk. alm. 331. t. 222. fig. 2.  
Saxifraga alpina, habitus androsaceae, villosa Hall. Herb. 1736. t. 1. fig. 3.

~~Saxifraga~~ androsacea foliis lanceolatis obtusis pilosis, caule nudo bifloro  
An - l. v. p. 411. Faq. flor. austr. vol. 4. t. 309.

Habitat in Siberia, Helvetia Austria

Folia ad radicem aggregata grassifera arena basi ciliata subleata  
interiora vel tridentata, <sup>semiquadrilobata</sup> <sup>marginata</sup>; Caulis erectus digitalis  
foliis uno alterove linearibus obtusis <sup>superioribus</sup> <sup>terminalibus</sup> <sup>interdum</sup> <sup>bracteis</sup> <sup>calycis</sup>  
subulosis superi. Faq. differt foliis duplo latioribus foliis 3. vel  
4. in caule.

Saxifraga Hall. no 904

synonyma Scopoli fide Specimenis a vno Celeb. com  
muniat em huius part. alt. excluso syn. Hall. herb. 900.

herb ~~musci~~ ~~Scopoli~~ ~~hinc~~ ~~forte~~ ~~per~~ ~~terre~~ <sup>convenit enim ex parte</sup>  
Specimen a Faq. habuit <sup>figura</sup> Scopoli <sup>marina</sup> cum <sup>specimenibus</sup> ab <sup>epi</sup>  
Nontan <sup>plantam</sup> <sup>exponit</sup> <sup>Halleri</sup> <sup>musci</sup>

*Crasifolia* Saxifraga foliis orbiculatis petioli obfoliati serrati petiolatis, caule nudo,  
panícula <sup>longa</sup> glomerata Lin. spec. pl. pag. 573 & Ed. pag. 412. fil. Dec. 2. p. 27. 8.  
14 Gmel. libr. 4. p. 16. tab. 66.

Habitat in Sibiria 7

Tota glabra. Folio coraceo palmata et ultra serrata, venosa  
coraceo. Petiolus planus hypoleucis. Scapus erectus crassus  
non cygneus striatus. Pedunculi alterni ~~est~~ ramosi paniculati  
coloris super nutantes, campanulati petala obovata rubro purpureo  
nisi intra 2



Sarmentosa Saxifraga foliis radicalibus subrotundis <sup>sublobatis</sup> ~~crenatis~~ <sup>sublobatis</sup> lobatis, sarmentis  
axillaribus radicalibus, corolla irregulari caule subnudo panicu-  
lato. ~~Lin. Suppl.~~

Monogr. Schreber in Drossa d. 2. p. 14. t. 23.

Saxifraga ligulata foliis subrotundis subtus papillofis, panicu-  
la secunda, petalis binis inferioribus longioribus Meurci  
Com. Gott. 1701. p. 26. t. 1.

Saxifraga stolonifera foliis ovatis lobatis pilosis, caule subnudo  
erecto paniculato Thunb. Act. nov. upf. Tom. 3. p. 200.

Saxifraga stolonifera Jacq. Misc. vol. 2. p. 321. G. rar.  
t. 15.

Saxifraga sarmentosa foliis radicalibus subrotundis cordatis  
crenatis, sarmentis axillaribus radicalibus, corolla  
irregulari, racemo composito Lin. Suppl. pag. 240 t. V.  
412.

Saxifraga vulgo vulgaris et Gahinosa Vrompt. Am. exot.  
p. 070

Saxifraga sarmentosa foliis ovatis lobatis, caule subnudo  
erecto paniculata Thunb. fl. jap. p. 102  
Habitat in locis montosis humidis japonica

Folia radicalia plunna, ~~subulata~~ palmata et ultra petiolata lobata  
remote dentata, ciliata, supra pilosa, nervosa. Stems maculisque  
rubris, subtus rubicunda glabra nervis pilosis. Caulina subpeltata  
Petiolus hippocrius scaber folus longior. <sup>pedalis</sup> Caulis erectus sulcatus  
indatus. Artus floris paniculati. Pedunculi filiformes racemosi dichoto-  
medis. folioli lanceolatis ad ramificationes. Pet. Calyx reflexus corollae  
patens petala duo inferiora lanceolata dependente. immixtata  
4na superiora oblonga acuta minor rubra et flavo purpurea. Germen  
duplex - fere glandularum

pedunculi pube-  
scentes

Genus *Saxifraga* foliis reniformibus <sup>subrotundis dentatis</sup> dentatis crenatis, caule nudo <sup>pubescente</sup> paniculato Lin. l. v

pag. 413.

*Saxifraga montana* alterius speciei Clusius.

*Saxifraga rotundifolia* minor Bauh. Pin. 243

*Sedum montanum rotundifolium* minus album non guttatum Moris. h.

3. p. 470. f. 12. t. 9. fig. 12.

Genus foliis crenatis acute crenatis, petalis floris rubris Magnol. hist.

0. t. 07.

Habitat in alpebus Europa 4

Petioles <sup>impedatis</sup> hirsuti longis. folia pilis rarioribus <sup>marginibus non cartil.</sup> aspersa, <sup>pubescentes</sup> ~~se~~ <sup>subrotunda</sup>

capis glaber, pedunculati ultimi et pedicelli vix pubescentes  
petala impuncta. <sup>ma</sup> folia reniformibus ab antecedente dista  
quatur petalis testibus foliis tenentibus

in mea folia crenata

hirsuta saxifraga foliis cordato ovalibus retusis cartilagineo crenatis caule nudo  
paniculato <sup>pubescente</sup> L. V. p. 412.

Habitat in Pyrenaeis

Petiole plerumque hirsutissima. Folia oblonga ovalia glaberrima subinaequa  
basi ex ad insertionem petiole excisa. Scapus frithamou pilosus  
superne pedunculisque pilosus viscosis purpureis. Calyx reflexus  
petala punctata. pili apice glandulosi  
ab umbrosa diversa foliis basi sine excipis nec in petiolum attenuati

<sup>spathulato.</sup>  
punctata saxifraga foliis <sup>subincisi</sup> subrotundis obovatis longius petiolatis, caule nudo Lin. Spec.  
pl. p. 574 \* L. V. p. 412.

Sedum bicorne prodrum, pallidioris foliis rotundioris, floribus punctatis Monf.  
hist. 3. p. 470. f. 12. t. 9. fig. 17.

Habitat in Sibiria 4

Folia subrotunda, dentibus incisa, ut fere lobata absque ora cartilaginea, minutis  
retusa, dentibus acutis; Petioli longi, foliis triplo longiores, superne fen-  
stram dilatati in folium. Flores minores quam in S. Geo, fere in fere Lin

non vid.

*Cuneifolia Saxifraga* foliis <sup>cuneiformibus</sup> ~~trihulatis~~ <sup>dentato serratis</sup> caule <sup>globo</sup> nudo floribus subpanicula

fi  
Cotyledon autem specierum quoddam *Offic. Lapp. 19. t. 12. f. 37.*  
Cotyledon altera olim *onatholi Bauh. hist. 3. p. 604.*

*Genus foliis* *Saxifraga cuneifolia* foliis cuneiformibus obtusissimis repandis, caule  
*subrotundo*  
*menimo* *Saxifraga* nudo paniculato *Lin. Spec. pl. p. 574. \* L. V. p. 413*  
*G. N. herb. 251* *Saxifraga punctata* *Rottb. in Act. Hafn. X. p. 445. t. 3. fig. 10*  
*Sci. herb. 401* Habitat in Alpibus Stiriae, Gotthardo.

Planta palmaris glaberrima, tenuis. Folia radicalia aggregata in  
rosetum ex parte pollicaria, margine cartilagineo avenia ~~meata~~  
*topa per inter* *paucis* rigida utrinque serratis, lobis obtusissimis inferne  
*valla congesta* *angustata* in petiolum basi ciliatum. Scapus erectus aphyllus  
*subreticulata* *filiiformis* pedicellis simplicibus unifloris. Calyx reflexus  
minor quam affines.

umbros Saxifraga foliis oblongis spatulatis cartilagineo crenato-dentatis, caule  
paniculato nudo

gem folio subrotundo minori, pedicello floris rubro Magnol. bot. p. 2  
D. Mill. Ic. 141. fig. 2.

Habitat in montibus apud Cantabros 4

Folia cum petiolo perfollicaria in rosam expansa, margineque albido  
cartilagineo, coriacea, crenis acuta, apice transversa. Scaepus  
semipedalis pedalis pilosus, superne vix opus petala punctata

gem folio subrotundo minori pedicello floris rubro Tournes. bot. par  
4. pl. 251