

Sejuvium

revolutifolium Lescuria

caulis brevissimus, statim a basi dichotome divisus. Rami teretes glaberrimi decumbentes, scaberrimi pallide virides, herbacei subsucculenti. Folia opposita pollicaria vel parum ultra cuneiformia remote basi <sup>in medio</sup> margine membranacea connata obtusissima, supra convexa ad basin revolutis utrinque papillis minutissimis copiosissimis hyalinis adspersa. Flores dichotome solitarii, breviter pedunculati. Calycis lacinae ovatae <sup>longe</sup> ultra corollam <sup>extremis lacinis</sup> ovatae lacinae calycis adnatae, purpureae violaceae oblongae, duo angustiores <sup>apice</sup> concavae. Stamina copiosa. Stylis 400

\* ultra corollam  
acumine  
producto

~~macrophyllum folio oblongo acuminate obliqua multinervis glaberrimo  
 postulis appendiculatis, caulis basi duplo. pag. 15.  
 Dyer 4. Brown. Jan. 127.  
 Habitat in Formosa  
 simile generis et name deum et ramum pubescentem  
 medio postulis ovatae lacinae calycis adnatae  
 ovatae calycis appendiculatis. Radice lignosa foliis  
 quibus in pediculis deorsum~~

polystachyon

~~Piper foliis ternis quaternisque rhombeo subrotundis, caule  
erecto petiolatis trinerviis pubescentibus, <sup>ramis</sup> caule erecto caule erecto~~

~~Piper obtusifolium Jacq. collect. 1. p. 141. K. var. 1. 1809.~~

~~Piper polystachyon; foliis sessilibus rhombeo ovatis integerrimis  
petiolatis trinerviis pubescentibus Hort. Kew. 1. p. 49.~~

~~Habitat in Jamaica 4~~

~~perna columbina panu~~

~~Caules basi procumbentes repentes, demum erecti, teretes, puri  
puri, glabri, laxes~~

portulacastrum Sefurium

Laigue. her. 4. pag. 95.

Portulaca manna latifolia, flore suavemente Plum. per.  
C. u. 223. fig. 2.

Portulaca curasavica, angusto longo lucidoque folio pro  
cumbens, floribus rubris Pluk. alm. 303. t. 216. fig. 1. Herm  
par. 212. t. 212.

Portulaca aizodes maxima procumbens, flore purpurea  
Sloan her. 1. p.

Halimus indicus Rumph. amb. C. p. 165. t. 172. fig. 1.

Portulaca folio lanceolato convexo pedunculatum  
flor. Coefl. t. 191 x

Habitat in India maxima O articulo articuli

Planta succulenta caule tereti crispate pennis columbino  
bis sesquipedalibus folia opposita sessilia lanceolata basi versus parum  
angustata integerrima glabra internodiis longioribus  
pedunculi axillares solitarii uniflori breves petioli  
medicantem membrana basi connata

revoluti folium Sepium folio obovato-oblongo laterebus  
reflexis, floribus sessilibus, caule tetragono Ortiza de  
per 14. &

Habitat in Trop. Cuba

Caulis herbaceus, inaequaliter duobus latis  
folia opposita.

non vidi

nigricans Pisonia inermis, foliis ovatis acuminatis, floribus cymosis erectis, fructi-

bus baccatis Schw. prod. p. 60

Pisonia inermis Gaertn. 275: 2.

Habitat in Jamaica 5