

Sperlingia

Contorta - Nectarium Stellata simpliciter genitalia tegente. Petala
et quae marginibus
sque inflexas conduplicata plana.
plana



Verticillata
tetraphylla Sperlingia foliis verticillato quaterno

Habitat in India Orientali

Caulis scandens, ^{radicans} teres, glaber, levis, lignosus, cortice cireascente.

Folia petiolata, quaterno verticillata, remota, bi- sive tripollicaria, ob-

^{massay an} longa, ^{quadrulenta} acuminata, acuta, integerrima, glabra. Petioli ^{per} pollicares, ^{quadrulenti} compressi, semiunciam lati, ^{quadrulenti} pubescenti. Pedunculi ^{quadrulenti} latera-

^{quadrulenti} les, teretes, glabri, apice ^{compressi} parca sum. Flores umbellati, coarctati: pedicelli ^{compressi} pollicares, filiformes, ^{compressi} uniflori; receptaculum primum hemisphaeri-

cum, demum cylindricum, pedunculo parum crassius, e basi pedicellorum ^{compressi} confertus cucurbitatum. Calyx pentaphyllus: foliis oblongis. Petala squa-

^{compressi} oblonga, trinqua acuta, inflexa ^{compressi} conduplicata, uide ut apex exterior ^{compressi} inflexo conduplicata, est hinc extra retusa, bi-ornata. Corpus truncatum, stellatum

quinqueradiatum, radiis lanceolatis, apice longitudine petalorum complura ^{compressi} truncis, apice ut cum petalis alternantibus, medio linea elevata ad apicem ^{compressi} latera fossola longitudinali, florescentibus, nitidi. Stamina non ^{compressi} vidi. Germina duo, glabra sub centro corpusculi. Tructus an folliculis!

opposita 2. Sperlingia foliis oppositis

Habitat in India orientali Herb. Biblioth. Oxon.

Similis in omnibus precedenti, diversa foliis oppositis, petiolis an-
gustis subtus convexis super canaliculatis

adde nummularia caesca major Rumph. amb. ^{S.p.} (175. V. 125. f. 1.