

Stisseria



Tulsi



Tomentosa Stisferia

Habitat in Montserrat In Ryan 5

Rami subtetragonis, apice compressi, dense villosi tomentosi, superne ferruginei.

Folia petiolata, opposita, tripollicaria, elliptica, <sup>utrinque acuta, cuneata,</sup> integra, supra convexa glabra ex cepto basi et costa, subtus concava, venoso-reticulata, nervi et venae extrastribus ferrugines villosi: juncea utraque villosa tomentosa propositis subtus ferrugineo-subferruginea, mollesima

Petiolus  
Panicula pyramidata, ternis ex axillis supremis, ferrugines-tomentosa pedu bracteata. Pedunculis parvis oppositis, bistratis  
tomi, floribus ternis, sessilibus. Bractea ovato-cordata, opposita decidua, acuminata, sub singula ramificatione et ad basin calycis

Calyx: Perianthium superum, monophyllum, quinquepartitum: laciniis <sup>duobus</sup> ovatis, acutis, duobus oppositis majoribus.

Corolla: petala quinque, oblonga, concava basi acuminata, integra subvillosa, calyce triplo longiora.

Meibaniim margini elevata, germen cingens

Stamina: filamenta numerosa, capillaria, corolla longiora. Anthera oblonga erecta

Pistillum: germen inferum, vellus tomentosum, obscure pentagonum, breve.

Stylus filiformis, longitudine staminum. Stigma acutum.

Pericarpium Bacca disperma, oblonga, tomentosa, margine clavato, crasso, loba coronata. Semen plicatum