

Stoeb

Stoebe

an marum villosum africanum Seb. Thef. 1. pag. 61. tab. 37. fig. 6.

Habitat in Cap. b. p. i. herb. Royeni 5

Frutex. Rami frequentes, approximati, elongati.

herba

Dactyloctenium aegyptium L. foliis fasciculatis recurvis, spicis bipanis Lin. Suppl. p. 397. R.V. 70

748

Habitat in Cap. b. p. c.

Rhinocerotis St. foliis triquetris appressis, ramulis tomentosis carneis, racemis proleferis

Len. Suppl. p. 391.

L.V. p. 790

Habitat in C. b. p. rei

reflexa St. procumbens, foliis lineari-bus, spicis ovatis ramis ascendenti-bus len. suppl.

p. 391. S. V. p. 790

Habitat in B. S. p. 1

Scabra L. foliis tortis appressis lineanibus extus tuberculato-scabris intus tomentosis,
floribus racemosis Lin. Suppl. p. 391. & L. V. p. 790
Habitat in P. b. frei

gongphrenoides S. foliis lanceolatis imbricatis appressis, capitulo terminali
sessili Lin. Suppl. p. 391. * L.V. pag. 790

Hoebii Gongphrenoides Berg

Habitat in Cap. b. p. 5

Gnaphalodes H. foliis imbricatis appressis

Gnaphalium niveum Spreng. pl. 1192

Gnaphalium incanum, foliis linearibus caule albumbente Burm afr.

Scirpium corymbiferum Mart. 119*

215. t. 77. fig. 1.

Stoebe gomphrenoides Berg.

Habitat in Q. v. Spreng.

prostrata ♂ foliis repunatis hinc tomentosis, caulis prostratis Lin. Mant. 291.

*N.V. p. 790

Habitat in Cap. b. p. nei

encoides L. foliis recurvatis incanis, corollis bifloris difformibus Lea Berg C.

Manx. 574. * L. V. 790

Eupatorium encoides C. b. p. Breyn Cent. 140. t. y. Monf. hist. 3. p. 97.

p. 7. t. 10. p. 10

Habitat ad Cap. b. p. t.

Strombosia Stoebe foliis recurvato-uncinatis nudis Hort. Clif. 3904 Mant. 907

Congratulafiana frutescens, foliis enee Ramatis et incanis Tournes. inff
P. 44-455

Helictrospides tenuiperi creberrimis ad unciis foliis, floribus in ramu-
lorum cymis Vaill. in act. Parif. 1719. p. 393.

Habitat in ~~Orthogues~~ Cap. b. frui 5